XLR Daisychaining Box

The XLR Daisy chaining box is used to link Trio4 Lights together, so that they can be powered and controlled by a powerline PSU.


The box locks to the base of each music stand, connecting one stand to the next in a daisy chain. Each XLR Daisy chaining box comes complete with 2.3m of integral cable. The Powerline PSU has two XLR outlet sockets which enable two separate daisy chains, with a total of up to 17 lights, to be plugged into one PSU. Multiple PSUs can be used for a large set up.


The XLR boxes can be fitted to almost any music stand's stem. They are made of nylon coated steel which provides unrivalled strength and durability.








Detailed Specification













Detailed Specification

Specifier's description

XLR Box to daisychain multiple music stand lights to be powered and controlled using one PSU. Made from nylon coated steel, each box has a 2.3m XLR cable as standard.

| Construction | |
|-----------------|-----------------------|
| Casing Material | Steel |
| Coating | 200µm polyester resin |

| Dimensions | |
|------------|----------------|
| Length | 101mm [4in] |
| Width | 39mm [1.5in] |
| Height | 116mm [4.6in] |
| Weight | 0.3kg [0.7lbs] |

| Physical characteristics | |
|--------------------------|---------------------------------|
| Input connector type | Customised 2 pin XLR plug |
| Output connector type | 2 x Customised 2 pin XLR socket |

| Electrical characteristics | |
|---|---------|
| Insulation class | Class 3 |
| SELV (Seperated Extra Low Voltage) output | YES |

| General | |
|-------------|---------|
| Warranty | 2 years |
| Part number | 74Q311 |
| Markings | CE |

